

dRussify в картинках...

невероятно просто!

<http://www.tryn.com/russifymac/>

объяснение в картинках (по просьбе ПашКо), как полностью руссифицировать макинтош (OS 9.1 - 9.2.1), не используя third party руссификаторы, а только Cyrillic Language Kit...


для этого надо применить patch "dRussify" (на свой страх и риск), предварительно стартовав компьютер с другого хард диска /partition.. или с CD тем, кому хочется всё сделать на работающей системе, мой совет - однозначно не делать! для этого надо использовать копию системы и копии SY фронтов, находящиеся на десктопе, предварительно стартовав компьютер с Extensions OFF.. ну а потом просто заменить **оригинальную** систему в System Folder'e на только что тобою пропатченную **копию** системы... ну и рестартнуть компьютер после этого... всегда имей копию оригинальной системы (System) в запасе!.. это всё

enjoy your life..

:O)

DrPepper

P.S. претензии по поводу убитых систем и компьютеров не принимаются и не рассматриваются



 **Completely erase disk named
"Mac OS 9.2.1" (ATA Bus 1 Dev 0, v3.2.8)?**

Name:

Format:

 **Mac OS 9.2.1**

9 items, 80,8 MB available

 Before You Install

 Install Mac OS 9.2.pdf

 Mac OS Install

 Adobe Software

 CD Extras



 Utilities

 Software Installers

 Install Mac OS 9.2.1

 System Folder





Install Mac OS 9.2.1

Select Destination


Choose a disk to install the software on, then click Select.


Destination Disk: **Mac OS 9.2.1**

System software currently installed:	None Installed
Available disk space:	1590 MB
Approximate disk space required for basic installation:	263 MB

This disk has enough space for a basic installation.

Options... **Go Back** **Select**







Install Mac OS 9.2.1

Custom Installation and Removal

Click **Start** to launch selected software installers on "Mac OS 9.2.1."

Software components	Installation mode
<input checked="" type="checkbox"/> Personal Web Sharing	Recommended Installation ⓘ
<input checked="" type="checkbox"/> Text-to-Speech	Recommended Installation ⓘ
<input checked="" type="checkbox"/> Mac OS Runtime for Java	Recommended Installation ⓘ
<input checked="" type="checkbox"/> ColorSync	Recommended Installation ⓘ
<input checked="" type="checkbox"/> English Speech Recognition	Recommended Installation ⓘ
<input checked="" type="checkbox"/> Language Kits	<input checked="" type="checkbox"/> None Selected <input type="checkbox"/> Customized Installation... <input type="checkbox"/> Customized Removal...
<input type="checkbox"/> Network Assistant Client	





Install Mac OS 9.2.1

Select Language Kits features to install.

Selection: **All**

Feature	Size
<input checked="" type="checkbox"/> Software for the Arabic language	1,430K
<input checked="" type="checkbox"/> Software for the Central European languages	1,780K
<input checked="" type="checkbox"/> Software for the Cyrillic languages	1,058K
<input checked="" type="checkbox"/> Software for the Devanagari writing system	1,185K
<input checked="" type="checkbox"/> Software for the Gujarati language	1,169K
<input checked="" type="checkbox"/> Software for the Punjabi language	334K
<input checked="" type="checkbox"/> Software for the Hebrew language	621K
<input checked="" type="checkbox"/> Software for the Japanese language	37,282K
<input checked="" type="checkbox"/> Software for the Korean language	41,388K
<input checked="" type="checkbox"/> Software for Chinese using simplified characters	33,197K

Selected size: 154,013K

Cancel **OK**

Table



Install Mac OS 9.2.pdf



Utilities



The installation process has finished.

Click Quit to leave this program.

Click Continue to install other software.

Continue

Quit



Sherlock 2



Mac OS 9.1



Mac OS X



Mac OS 9.2.1



dRussify your Mac!



ResEdit 2.1.3



Mac OS 9.2.1



Browse the Internet



Mail



QuickTime Player



Register with Apple



Trash



Mac OS 9.2.1
9 items, 80,8 MB available

Before You Install

Install Mac OS 9.2

Mac OS Install

Adobe Software

CD Extras

Utilities

Language Kits CD Extras
8 items, 80,8 MB available

About Language Kits CD Extras

SimpleTexts.img

Arabic

Central European

Cyrillic

Hebrew

Japanese

Persian

CD Extras
25 items, 80,8 MB available

Eric's Solitaire Sampler

File Sharing Extras

FirmWare U

Graphing Calculator Folder

HyperCard Player

HyperCard

Language Kits CD Extras

Mex. Spanish Text-to-Speech

Network Extras

Palm™ Desktop

Pointer Mode

QuickTime Samples

Unicode

Universal Access

VideoMirroringApp

WhatRoute Folder

WorldText

Cyrillic
2 items, 80,8 MB available

Fonts

Keyboards

Fonts
1 item

Chicago CY

Mac OS 9.2.1

Mac OS 9.1

Mac OS X

Mac OS 9.2.1





Modify your Mac!





TextEdit 2.1.3

Mac OS 9.2.1




System tray containing icons for volume control, network status, and other background processes.





ResEdit™ 2.1.3



This version by:
Sumit Bando
&
Samiran Basak

Copyright © 1984-1994
Apple Computer, Inc.
All rights reserved

ResEdit 2.1.3

3 items, 179,2 MB available




About ResEdit 2.1.3



ResEdit



Examples



System Folder

- Mac OS 9.2.1
- Desktop

Mac OS 9.2.1

Eject


Desktop

Cancel

New

Open

Use Alias instead of original




ResEdit 2.1.3

3 items, 178,5 MB available

About ResEdit 2.1.3


ResEdit

Examples



FONDS from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	"Keyboard"
99		
16383		



Mac OS 9.1



Mac OS X



Mac OS 9.2.1



dRussify your Mac!



ResEdit 2.1.3



Trash

FONDs from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Geneva CY



FOND

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

ftag

2.0bl
6.05
7.0...

sfnt

vers

AB
C...

NFNT



Mac OS 9.1



Mac OS X



Mac OS 9.2.1




ussify your Mac!



ResEdit 2.1.3



Trash



FONDs from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Geneva CY



FOND

```

0101 1101
0110 1001
0110 1010
0001 1100
0100 0000
...

```

ftag

AB
C...

NFNT

```

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

```

sfnt

2.0bl

6.05

7.0...

vers

FONDs from Geneva CY

ID	Size	Name
19459	196	"Geneva CY"

FOND "Geneva CY" ID = 19459 from Geneva CY

Res ID	19459
2) *****	
Font Size	9
Font Style	0
Res ID	6513
3) *****	
Font Size	9
Font Style	2
Res ID	23049
4) *****	
Font Size	10
Font Style	0
Res ID	7815
5) *****	
Font Size	12
Font Style	0
Res ID	21698
6) *****	
Font Size	14



FONDS from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Geneva CY

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

FOND ftag NFNT

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

2.0bl
6.05
7.0...

sfnt vers

FOND "Geneva" ID = 3 from System

of Font entries 1

1) *****

Font Size

Font Style

Res ID

2) *****

Font Size

Font Style

Res ID

3) *****

The Tables \$

00 00 00 00	00 06 00 00
00 00 FB 84	FC 3E 14 7C
0F 08 00 07	00 00 00 43
00 00 00 00	01 01 01 01
01 01 01 01	01 01 01 01
01 01 01 01	01 01 01 01
01 01 01 01	01 01 01 01
01 01 01 01	01 01 01 01
01 01 01 01	01 01 01 01
01 01 01 01	01 01 01 01

FONDS from Geneva CY

ID	Size	Name
19459	196	"Geneva CY"

"Geneva CY" ID = 19459 from Geneva CY

13

15

Font Size

Font Style

Res ID

6) *****

Font Size

- Insert New Field(s) ⌘K
- Open Resource Editor
- Open Using Template...
- Open Using Hex Editor
- Revert This Resource
- Get Resource Info ⌘I

FONDS from System

	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
8	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"



Geneva CY

	0101 1101 0010 1001 0110 1010 0001 1110 0100 0000 ...	AB C...
FOND	ftag	NFNT
0101 1101 0010 1001 0110 1010 0001 1110 0100 0000 ...	2.0bl 6.05 7.0...	
sfnt	vers	

FOND "Geneva" ID = 3 from System

of Font entries 1

1) *****

Font Size

Font Style

Res ID

2) *****

Font Size

Font Style

Res ID

3) *****

The Tables \$ 00 00 00 00 00 06 00 00
00 00 FB 84 FC 3E 14 7C
0F 08 00 07 00 00 00 43
00 00 00 00 01 01 01 01
01 01 01 01 01 01 01 01
01 01 01 01 01 01 01 01
01 01 01 01 01 01 01 01
01 01 01 01 01 01 01 01
01 01 01 01 01 01 01 01

FONDS from Geneva CY

ID	Size	Name
19459	196	"Geneva CY"

Geneva CY" ID = 19459 from Geneva CY

19459

13

049

15

Font Size

Font Style

Res ID

6) *****

Font Size

FONDS from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Geneva CY

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

A **AB**
C...

FOND ftag NFNT

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

2.0bl
6.0.5
7.0...

sfnt vers

FOND "Geneva" ID = 3 from System

of Font entries 2

1) *****

Font Size

Font Style

Res ID

2) *****

Font Size

Font Style

Res ID

3) *****

Font Size

Font Style

Res ID

4) *****

The Tables \$

FONDS from Geneva CY

ID	Size	Name
19459	196	"Geneva CY"

"Geneva CY" ID = 19459 from Geneva CY

19459

13

049

15

Font Size

Font Style

Res ID

6) *****

Font Size



FONDS from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Geneva CY

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

FOND ftag NFNT

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

sfnt vers

2.0bl
6.05
7.0...

FOND "Geneva" ID = 3 from System

of Font entries 2

1) *****

Font Size

Font Style

Res ID

2) *****

Font Size

Font Style

Res ID

3) *****

Font Size

Font Style

Res ID

4) *****

The Tables \$

FONDS from Geneva CY

ID	Size	Name
19459	196	"Geneva CY"

"Geneva CY" ID = 19459 from Geneva CY

19459

13

049

15

Font Size

Font Style

Res ID

6) *****

Font Size

FONDS from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	„Keyboard"
99	60	„Last Resort"
16383	1920	"Chicago"

Geneva CY

FOND flag NFNT

2.0bl
6.05
7.0...

sfnt vers

FOND "Geneva" ID = 3 from System

of Font entries 2

1) *****

Font Size

Font Style

Res ID

2) *****

Font Size

Font Style

Res ID

3) *****

Font Size

Font Style

Res ID

4) *****

The Tables \$ 00 00 00 00 00 06 00 00
00 00 FB 84 FC 3E 14 7C
0F 08 00 07 00 00 00 43

FONDS from Geneva CY

ID	Size	Name
19459	196	"Geneva CY"

FOND "Geneva CY" ID = 19459 from Geneva CY

Res ID

2) *****

Font Size

Font Style

Res ID

3) *****

Font Size

Font Style

Res ID

4) *****

Font Size

Font Style

Res ID

5) *****

Font Size

Font Style

Res ID

6) *****

Font Size



FONDS from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Geneva CY



```

0101 1101
0110 1001
0110 1010
0001 1100
0100 0000
...
FOND      ftag      NFNT
0101 1101      2.0bl
0110 1001      6.05
0110 1010      7.0...
0001 1110
0100 0000
...
sfnt      vers

```

FOND "Geneva" ID = 3 from System

of Font entries 2

1) *****

Font Size

Font Style

Res ID

2) *****

Font Size

Font Style

Res ID

3) *****

Font Size

Font Style

Res ID

4) *****

The Tables \$

FONDS from Geneva CY

ID	Size	Name
19459	196	"Geneva CY"

"Geneva CY" ID = 19459 from Geneva CY

19459

13

049

15

Font Size

Font Style

Res ID

6) *****

Font Size



FONDS from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Geneva CY



FOND

```

0101 1101
0110 1001
0110 1010
0001 1100
0100 0000
...

```

ftag

AB
C...

NFNT

```

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

```

2.0bl

6.05

7.0...

sfnt

vers

FOND "Geneva" ID = 3 from System

of Font entries 2

1) *****

Font Size

Font Style

Res ID

2) *****

Font Size

Font Style

Res ID

3) *****

Font Size

Font Style

Res ID

4) *****

The Tables \$

00 00 00 00	00 06 00 00
00 00 FB 84	FC 3E 14 7C
0F 08 00 07	00 00 00 43

FONDS from Geneva CY

ID	Size	Name
19459	196	"Geneva CY"

FOND "Geneva CY" ID = 19459 from Geneva CY

Res ID

2) *****

Font Size

Font Style

Res ID

3) *****

Font Size

Font Style

Res ID

4) *****

Font Size

Font Style

Res ID

5) *****

Font Size

Font Style

Res ID

6) *****

Font Size

Mac OS 9.1

Mac OS X

Mac OS 9.2.1

dRussify your Mac!

ResEdit 2.1.3

Trash

FONDS from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Geneva CY



FOND ftag NFNT

2.0bl
6.05
7.0...

sfnt vers

FOND "Geneva" ID = 3 from System

of Font entries 2

1) *****

Font Size

Font Style

Res ID

2) *****

Font Size

Font Style

Res ID

3) *****

Font Size

Font Style

Res ID

4) *****

The Tables \$ 00 00 00 00 00 06 00 00
 00 00 FB 84 FC 3E 14 7C
 0F 08 00 07 00 00 00 43

FONDS from Geneva CY

ID	Size	Name
19459	196	"Geneva CY"

Geneva CY" ID = 19459 from Geneva CY

19459

13

049

15

14

Font Size

Font Style

Res ID

6) *****

Font Size

FONDS from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Geneva CY



FOND

```

0101 1101
0110 1001
0110 1010
0001 1100
0100 0000
...

```

ftag

AB
C...

NFNT

```

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

```

2.0bl

6.05

7.0...

sfnt

vers

FOND "Geneva" ID = 3 from System

# of Font entries	2
1) *****	
Font Size	9
Font Style	0
Res ID	6513
2) *****	
Font Size	10
Font Style	0
Res ID	7815
3) *****	
Font Size	12
Font Style	0
Res ID	
4) *****	
The Tables	\$ 00 00 00 00 00 06 00 00 00 00 FB 84 FC 3E 14 7C 0F 08 00 07 00 00 00 43

FONDS from Geneva CY

ID	Size	Name
19459	196	"Geneva CY"

FOND "Geneva CY" ID = 19459 from Geneva CY

Res ID	19459
2) *****	
Font Size	9
Font Style	0
Res ID	6513
3) *****	
Font Size	9
Font Style	2
Res ID	23049
4) *****	
Font Size	10
Font Style	0
Res ID	7815
5) *****	
Font Size	12
Font Style	0
Res ID	21698
6) *****	
Font Size	14

Mac OS 9.1


Mac OS X

Mac OS 9.2.1

dRussify your Mac!

ResEdit 2.1.3

Trash



FONDS from System

ID	Size	Name
3	1924	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Geneva CY



```

0101 1101
0110 1001
0110 1010
0001 1100
0100 0000
...
FOND      ftag      NFNT
0101 1101      2.0bl
0010 1001      6.05
0110 1010      7.0...
0001 1110
0100 0000
...
sfnt      vers

```

FOND "Geneva" ID = 3 from System

of Font entries 2

1) *****

Font Size

Font Style

Res ID

2) *****

Font Size

Font Style

Res ID

3) *****

Font Size

Font Style

Res ID

4) *****

The Tables \$

FONDS from Geneva CY

ID	Size	Name
19459	196	"Geneva CY"

"Geneva CY" ID = 19459 from Geneva CY

19459

13

049

15

Font Size

Font Style

Res ID

6) *****

Font Size



FONDS from System

ID	Size	Name
3	1930	"Geneva"
4	1918	"Monaco"
98	668	"Keyboard"
99		
16383		

Mac OS 9.2.1

Eject

Desktop

Cancel

Open

Use Alias instead of original

Fonts

System Folder

Mac OS 9.2.1

Desktop

Impact

Kai

Kai Bitmap

Marukan Compatibility

Monaco

Monaco CE

Monaco CY

Geneva CY

FOND

ftag

NFNT

2.0bl

6.05

7.0...

sfnt

vers

AB

C...

Mac OS 9.1

Mac OS X


Mac OS 9.2.1

dRussify your Mac!

ResEdit 2.1.3



Trash



FONDs from System

ID	Size	Name
3	1930	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Monaco CY



FOND

```

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

```

ftag

AB
C...

NFNT

```

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

```

sfnt

```

2.0bl
6.05
7.0...
vers

```

FONDs from Monaco CY

ID	Size	Name
19460	166	"Monaco CY"

FOND "Monaco CY" ID = 19460 from Monaco CY

1) *****

Font Size

0

Font Style

0

Res ID

19460

2) *****

Font Size

9

Font Style

0

Res ID

5112

3) *****

Font Size

10

Font Style

0

Res ID

27208

4) *****

Font Size

12

Font Style

0

Res ID

13238

5) *****

The Tables

\$ 00 00 00 00 00 06 00 00



FONDS from System

ID	Size	Name
3	1930	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Monaco CY

	0101 1101 0010 1001 0110 1010 0001 1110 0100 0000 ...	AB C...
FOND	ftag	NFNT
0101 1101 0010 1001 0110 1010 0001 1110 0100 0000 ...	2.0bl 6.05 7.0...	
sfnt	vers	

FOND "Monaco" ID = 4 from System

for Extended

Undefined \$0000

Rsvd for Internationa l \$00000000

FOND version \$0003

of Font entries 0

1) *****

Font Size 9

Font Style 0

Res ID 1027

2) *****

The Tables \$ 00 00 00 00 00 06 00 00
00 00 00 00 EC 1E 09 EC

FONDS from Monaco CY

ID	Size	Name
19460	166	"Monaco CY"

"Monaco CY" ID = 19460 from Monaco CY

160

12

Font Style 0

Res ID 27208

4) *****

Font Size 12

Font Style 0

Res ID 13238

5) *****

The Tables \$ 00 00 00 00 00 06 00 00

FONDS from System

ID	Size	Name
3	1930	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Monaco CY



FOND

```

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

```

ftag

```

AB
C...

```

NFNT

```

0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...

```

2.0bl

6.05

7.0...

sfnt

vers

FOND "Monaco" ID = 4 from System

for Extended

Undefined

\$0000

Rsvd for
Internationa
l

\$00000000

FOND version

\$0003

of Font
entries

0

1) *****

Font Size

9

Font Style

0

Res ID

1027

2) *****

The Tables

\$ 00 00 00 00 00 06 00 00
00 00 00 00 FC 1E 00 FC

FONDS from Monaco CY

ID	Size	Name
19460	166	"Monaco CY"

FOND "Monaco CY" ID = 19460 from Monaco CY

1) *****

Font Size

0

Font Style

0

Res ID

19460

2) *****

Font Size

9

Font Style

0

Res ID

5112

3) *****

Font Size

10

Font Style

0

Res ID

27208

4) *****

Font Size

12

Font Style

0

Res ID

13238

5) *****

The Tables

\$ 00 00 00 00 00 06 00 00

Mac OS 9.1

Mac OS X

Mac OS 9.2.1

dRussify your Mac!

ResEdit 2.1.3

Trash

FONDS from System

ID	Size	Name
3	1930	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Monaco CY



FOND

```
0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...
```

ftag

AB
C...

NFNT

```
0101 1101
0010 1001
0110 1010
0001 1110
0100 0000
...
```

2.0bl

6.05

7.0...

sfnt

vers

Mac OS 9.1

Mac OS X

Mac OS 9.2.1

dRussify your Mac!

ResEdit 2.1.3

Trash

FOND "Monaco" ID = 4 from System

for Extended

Undefined \$0000

Rsvd for Internationa \$00000000

I

FOND version \$0003

of Font entries 0

1) *****

Font Size 9

Font Style 0

Res ID 5112

2) *****

The Tables \$ 00 00 00 00 00 06 00 00
00 00 00 00 FC 1E 00 FC

FONDS from Monaco CY

ID	Size	Name
19460	166	"Monaco CY"

"Monaco CY" ID = 19460 from Monaco CY

160

12

Font Style 0

Res ID 27208

4) *****

Font Size 12

Font Style 0

Res ID 13238

5) *****

The Tables \$ 00 00 00 00 00 06 00 00

FONDS from System

ID	Size	Name
3	1930	"Geneva"
4	1918	"Monaco"
98	668	"Keyboard"
99		
16383		

Fonts Mac OS 9.2.1

- Capitals
- Charcoal
- Charcoal CE
- Charcoal CY
- Chicago
- Chicago CY**
- Comic Sans MS

Use Alias instead of original

Eject
Desktop
Cancel
Open

Monaco CY

FOND ftag NFNT

2.0bl
6.05
7.0...

sfnt vers


Mac OS 9.1

Mac OS X

Mac OS 9.2.1

dRussify your Mac!

ResEdit 2.1.3



FONDS from System

ID	Size	Name
3	1930	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Chicago CY

	0101 1101 0010 1001 0110 1010 0001 1110 0100 0000 ...	AB C...
FOND	ftag	NFNT
0101 1101 0010 1001 0110 1010 0001 1110 0100 0000 ...	2.0bl 6.0.5 7.0...	
sfnt	vers	

FONDS from Chicago CY

ID	Size	Name
19456	154	"Chicago CY"

FOND "Chicago CY" ID = 19456 from Chicago CY

Undefined Rsvd for Internationa
l FOND version

of Font entries 1

1) *****

Font Size Font Style Res ID

2) *****

Font Size Font Style Res ID

3) *****

The Tables \$ 

FONDS from System

ID	Size	Name
3	1930	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Chicago CY

	0101 1101 0010 1001 0110 1010 0001 1110 0100 0000	AB C...
FOND	ftag	NFNT
0101 1101 0010 1001 0110 1010 0001 1110 0100 0000	2.0bl 6.05 7.0...	
sfnt	vers	

Mac OS 9.1

Mac OS X

Mac OS 9.2.1

Russify your Mac!

ResEdit 2.1.3

Trash

FOND "Chicago" ID = 16383 from System

Undefined \$0000

Rsvd for Internationa
l \$00000000

FOND version \$0002

of Font entries 0

1) *****

Font Size 12

Font Style 0

Res ID 1028

2) *****

The Tables \$ 00 00 00 00 00 06 00 00
00 00 F8 00 F8 00 14 00

FONDS from Chicago CY

ID	Size	Name
19456	154	"Chicago CY"

"Chicago CY" ID = 19456 from Chicago CY

00

0000000

02

Font Style 0

Res ID 19456

2) *****


Font Size 12

Font Style 0

Res ID 19750

3) *****

The Tables \$ 00 00 00 00 00 06 00 00
00 00 FF FE FC 00 13 58
0F 7C 00 05 00 00 00 00



FONDS from System

ID	Size	Name
3	1930	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Chicago CY

	0101 1101 0010 1001 0110 1010 0001 1110 0100 0000	AB C...
FOND	ftag	NFNT
0101 1101 0010 1001 0110 1010 0001 1110 0100 0000	2.0bl 6.05 7.0...	
sfnt	vers	

FOND "Chicago" ID = 16383 from System

Undefined	\$0000
Rsvd for International	\$00000000
FOND version	\$0002
# of Font entries	0
1) *****	
Font Size	12
Font Style	0
Res ID	1028
2) *****	
The Tables	\$ 00 00 00 00 00 06 00 00 00 00 F8 00 F8 00 14 00

FONDS from Chicago CY

ID	Size	Name
19456	154	"Chicago CY"

FOND "Chicago CY" ID = 19456 from Chicago CY

Undefined	\$0000
Rsvd for International	\$00000000
FOND version	\$0002
# of Font entries	1
1) *****	
Font Size	0
Font Style	0
Res ID	19456
2) *****	
Font Size	12
Font Style	0
Res ID	19750
3) *****	
The Tables	\$ 00 00 00 00 00 06 00 00 00 00 FF FE FC 00 13 58 0F 7C 00 05 00 00 00 00

Mac OS 9.1

Mac OS X

Mac OS 9.2.1

Russify your Mac!

ResEdit 2.1.3

Trash

FONDS from System

ID	Size	Name
3	1930	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

Chicago CY

	0101 1101 0010 1001 0110 1010 0001 1110 0100 0000	AB C...
FOND	ftag	NFNT
0101 1101 0010 1001 0110 1010 0001 1110 0100 0000	2.0bl 6.05 7.0...	
sfnt	vers	

Mac OS 9.1

Mac OS X

Mac OS 9.2.1

Russify your Mac!

ResEdit 2.1.3

Trash

FOND "Chicago" ID = 16383 from System

Undefined \$0000

Rsvd for Internationa
l \$00000000

FOND version \$0002

of Font entries 0

1) *****

Font Size 12

Font Style 0

Res ID 19750

2) *****

The Tables \$ 00 00 00 00 00 06 00 00
00 00 F8 00 F8 00 14 00

FONDS from Chicago CY

ID	Size	Name
19456	154	"Chicago CY"

"Chicago CY" ID = 19456 from Chicago CY

00000000

00000000

02

Font Style 0

Res ID 19456

2) *****

Font Size 12

Font Style 0

Res ID 19750

3) *****

The Tables \$ 00 00 00 00 00 06 00 00
00 00 FF FE FC 00 13 58
0F 7C 00 05 00 00 00 00

FONDS from System

ID	Size	Name
3	1930	"Geneva"
4	1918	"Monaco"
98	668	".Keyboard"
99	60	".Last Resort"
16383	1920	"Chicago"

FOND "Geneva" ID = 3 from System

of Font entries 2

1) *****

Font Size 9

Font Style 0

Res ID 6513

Font Size 10

Font Style 0

Res ID 7815

Font Size 12

Font Style 0

Res ID 21698

4) *****

The Tables \$ 00 00 00 00 00 06 00 00



Save "System" before closing?

Yes

No

Cancel

FOND "Chicago" ID = 16383 from System

I

FOND version \$0002

of Font entries 0

1) *****

Font Size 12

Font Style 0

Res ID 19750

2) *****

The Tables \$ 00 00 00 00 00 06 00 00
00 00 F8 00 F8 00 14 00

FOND "Monaco" ID = 4 from System

FOND version \$0003

of Font entries 0

1) *****






Font Size 9

Font Style 0

Res ID 5112

2) *****

The Tables \$ 00 00 00 00 00 06 00 00
00 00 00 00 FC 1E 09 FC



Mac OS 9.2.1
3 items, 1,16 GB available

- Applications (Mac OS 9)
- Documents
- System Folder

- Mac OS 9.1
- Mac OS X
- Mac OS 9.2.1
- dRussify your Mac!
- ResEdit 2.1.3

 **These items need to be stored in the Fonts folder in order to be available to the computer. Put these items into the Fonts folder?**

Cancel OK

Бастюн Прямой Ростислав Системный

Arial Arial Black Charcoal Chicago

Comic Sans MS Espi Sans Impact New York

Palatino Tahoma Times New Roman Verdana







dRussify your Mac!
4 items, 163,6 MB available

- dRussify свой Макинтош!
- images
- index.htm
- pro

pro
3 items, 163,6 MB available

- Cyrillic Fonts
- dRussify fonts
- Keyboards







Startup Disk

Select the Mac OS system folder to start up your computer:

Name	Version
Mac OS 9.1	Mac OS 9.1
Mac OS 9.1:System Folder:	Mac OS 9.1
Mac OS X	Mac OS X
Mac OS X:System:Library:CoreServices:	Mac OS X
Mac OS 9.2.1	Mac OS 9.2.1
Mac OS 9.2.1:System Folder:	Mac OS 9.2.1
Network Disk	

Restart






Mac OS 9.2.1

Mac OS X

Mac OS 9.1

dRussify your Mac!



- ✓ U.S.
- Czech
- Hungarian
- Polish
- Slovak
- Bulgarian
- Russian
- Ukrainian
- Arabic
- Arabic for PowerBooks
- Hebrew
- Hebrew for PowerBooks
- Devanagari
- Devanagari-QWERTY
- Nepali
- Gurmukhi
- Gurmukhi-QWERTY
- Gujarati
- Gujarati-QWERTY
- 繁體中文
- 简体中文
- ことえり™
- 파워 입력기
- 한글 직접 입력
- Customize Menu...**

- Mac OS 9.2.1
- Mac OS X
- Mac OS 9.1
- Russify your Mac!

Keyboards

6 items, 364 MB available

- Cyrillic-QWERTY
- Cyrillique-AZERTY
- Kyrillisch-QWERTZ
- Русская - AppleStd
- Русская - KOI8
- Russian - KOI8

dRussify your Mac!


4 items, 364 MB available






- dRussify свой Макинтош!
- images
- index.htm
- pro

pro

3 items, 364 MB available

- Cyrillic Fonts
- dRussify fonts
- Keyboards





- ✓ U.S.
- Czech
- Hungarian
- Polish
- Slovak
- Русская - AppleStd
- Bulgarian
- Russian
- Ukrainian
- Arabic
- Arabic for PowerBooks
- Hebrew
- Hebrew for PowerBooks
- Devanagari
- Devanagari-QWERTY
- Nepali
- Gurmukhi
- Gurmukhi-QWERTY
- Gujarati
- Gujarati-QWERTY
- 繁體中文
- 简体中文
- ことえり™
- 키보드 입력기
- 한글 직접 입력
- Customize Menu...**

Mac OS 9.2.1

Mac OS X

Mac OS 9.1

Russify your Mac!

Keyboards

6 items, 364 MB available

- Cyrillic-QWERTY
- Cyrillic-AZERTY
- Kyrillisch-QWERTZ
- Русская - AppleStd
- Русская - KOI8
- Russian - KOI8

dRussify your Mac!


4 items, 364 MB available

- dRussify свой Макинтош!
- images
- index.htm
- pro

pro

3 items, 364 MB available

- Cyrillic Fonts
- dRussify fonts
- Keyboards



Symbol
Techno
Textile
Times
Trebuchet MS
Шедdings
Courier CE
Geneva CE
Helvetica CE
Charcoal CE
Monaco CE
Palatino CE
Times CE
Бастион
Прямой
Ростислав
Системный
Arial
Arial Black
Charcoal CY
Chicago CY
Comic Sans MS

Geneva CY
Helvetica CY
Impact
Monaco CY
Tahoma
Times CY
Times New Roman
Verdana
AB AlBayan
AB Baghdad
AB Cairo
AB Geeza
AB Kufi
AB Nadeem
DecoType Naskh
Arial Hebrew
Corsiva Hebrew
New Peninim MT
Raanana Hebrew
Devanagari MT
Devanagari MTS
Gurmukhi MT
Gurmukhi MTS

Mac OS 9.2.1

Mac OS X

Mac OS 9.1

dRussify your Mac!

Themes Appearance

Large System Font:

Small System Font:

Views Font:




Smooth all fonts
turns on anti-aliasing

Options

Size: 10

Size: 12

Trash



Appearance

Themes | **Appearance** | Fonts | Desktop | Sound | Options

Large System Font: Charcoal
for menus and headings

Small System Font: Geneva
for explanatory text and labels

Views Font: Geneva CY Size: 10

Smooth all fonts on screen
turns on anti-aliasing for fonts equal and greater than: Size: 12



Keyboard

Keyboard Layouts

Selected keyboard layouts will display in the keyboard menu when more than one is selected.


Script: **Cyrillic**

-  **Русская - AppleStd**
-  **Bulgarian**
-  **Russian**
-  **Ukrainian**

Key Repeat

Key Repeat Rate Delay Until Repeat

Slow Fast Short Long Off

 **Function Keys...** **Options...**

Mac OS 9.2.1

Mac OS X

Mac OS 9.1

dRussify your Mac!

Trash



- U.S.
 - Slovak
 - Русская - AppleStd
 - Arabic
 - Hebrew
 - Devanagari
 - Gurmukhi
 - Gujarati
 - 繁體中文
 - 简体中文
 - ことえり™
 - 키보드 입력기
 - 한글 직접 입력
- Customize Menu...**

- Mac OS 9.2.1
- Mac OS X
- Mac OS 9.1
- Russify your Mac!**

Keyboards 6 items, 364 MB available

Cyrillic-QWERTY	Cyrillic-AZERTY	Kyrillisch-QWERTZ
Русская - AppleStd	Русская - KOI8	Russian - KOI8



Utilities

13 items

Applications (Mac OS 9)
Mac OS 9.2.1

Assistants

Chinese Text Converter

Desktop Printer Utility

Disc Burner

Disk Copy

Disk First Aid

Drive Setup f

Font Updater

Hangul Direct Input Readme

Input Method Plug-in

Language Register

Power Input Help

ResEdit 2.1.3

Mac OS 9.2.1


Mac OS X

Mac OS 9.1

dRussify your Mac!

Trash





To set the language for an application file,
select a language from the popup menu and
click the Register button.


Language:

- ✓ English [US]
- French [France]
- German
- Italian
- Swedish
- Spanish
- Hebrew
- Japanese
- Arabic
- Hindi
- Farsi
- Russian**
- Korean
- Simp. Chinese
- Trad. Chinese
- Ukrainian
- Bulgarian
- Marathi
- Nepali
- Gujarati
- Punjabi

Register...

Cancel

OK



Mac OS 9.2.1

Mac OS X

Mac OS 9.1

dRussify your Mac!

To set the language for an application file,
select a language from the popup menu and
click the Register button.

Language:

Select a file to register:

Applications (Mac OS 9)

- Mac OS 9.2.1
- Desktop
- Outlook Express 5.02 Folder
- QuickTime
- Security
- Sherlock 2
- SimpleText**
- Utilities

Eject

Desktop

Cancel

Register

Trash

Mac OS 9.2.1

Mac OS X

Mac OS 9.1


dRussify your Mac!



The file 'SimpleText' has been registered for 'Russian'.

OK

Trash



всё хорошо пишется по-русски

Desktop Mac OS 9.2.1

- Mac OS 9.1
- Mac OS 9.2.1
- Mac OS X
- dRussify your Mac!
- Trash

Name of new folder:
всё хорошо пишется по-русски

Cancel Create

Save

Save this document as:
всё хорошо пишется по-русски

Mac OS 9.2.1

Mac OS X

Mac OS 9.1

dRussify your Mac!

Trash

всё хорошо пишется по-русски

всё хорошо пишется по-... Mac OS 9.2.1

Eject
Desktop
New 
Cancel
Save

Save this document as:
всё хорошо пишется по-русски

